

GRANA

Vol. 21. 1982

international journal of **PALYNOLGY** and **AEROBIOLOGY**

th
World Pollen and Spore Flora

itors

Nilsson, Sweden and P. Sorsa, Finland

itorial Board

Th. Andersen, Denmark, A. Dunbar, Sweden, I. Engström, Sweden, K. Fægri, Norway,
Hafsten, Norway, L. Holm, Sweden, G. Kjellström, Sweden, K. Larsen, Denmark,
Manum, Norway, J. Praglowksi, Sweden, J. Rowley, Sweden, Y. Vasari, Finland

© The Almqvist & Wiksell Periodical Company, Stockholm

Contents

No. 1

| | |
|---|----|
| <i>Emile Duhoux</i> | |
| Mechanism of exine rupture in hydrated taxoid type of pollen | 1 |
| <i>F. B. Sampson</i> | |
| Variation in position of the nascent generative cell in pollen of <i>Hedycarya</i> (Monimiaceae) | 9 |
| <i>Willem Punt and Erica Eetgerink</i> | |
| On the pollen morphology of some genera of the tribe Moreae (Moraceae) | 15 |
| <i>Stephen Graves Goetz</i> | |
| Segregation of pollen exine features in <i>Hibiscus</i> section <i>Furcaria</i> interspecific hybrids | 21 |
| <i>C. C. Chinnappa and B. G. Warner</i> | |
| Pollen morphology in the genus <i>Coffea</i> (Rubiaceae). II. Pollen polymorphism | 29 |
| <i>Virgil Dale Wiggins</i> | |
| <i>Expressipollis striatus</i> n. sp. to <i>Anacolosidites striatus</i> n. sp. An Upper Cretaceous example of suggested pollen aperture evolution | 39 |
| <i>Robert A. Fensome and William A. S. Sarjeant</i> | |
| The dinoflagellate cyst genus <i>Sarjeantia</i> Horowitz and its associated microfossils | 51 |
| <i>Björn Bringfelt, Inga Engström and Siwert Nilsson</i> | |
| An evaluation of some models to predict airborne pollen concentration from meteorological conditions in Stockholm, Sweden | 59 |

No. 2

| | |
|---|-----|
| <i>Ortrud Monika Barth</i> | |
| The sporoderm of Brazilian <i>Symplocos</i> pollen types (Symplocaceae) | 65 |
| <i>Egon Köhler und Paul Brückner</i> | |
| Die Pollenmorphologie der afrikanischen <i>Buxus-</i> und <i>Notobuxus</i> -Arten (Buxaceae) und ihre systematische Bedeutung | 71 |
| <i>Özden Inceoglu</i> | |
| Pollen grains in some Turkish Rhinantheae (Scrophulariaceae) | 83 |
| <i>Maria Lea Salgado-Labouriau</i> | |
| On cavities in spines of Compositae pollen | 97 |
| <i>Gamal El-Ghazaly</i> | |
| Ontogeny of pollen wall of <i>Leontodon autumnalis</i> (Hypochoeridinae, Compositae) | 103 |
| <i>William A. S. Sarjeant and Charles Downie</i> | |
| The Upper Cretaceous dinoflagellate cyst <i>Raphidodinium</i> Deflandre: a restudy | 115 |
| <i>Paolo Mandrioli, Maria Grazia Negrini and Anna Letizia Zanotti</i> | |
| Airborne pollen from the Yugoslavian coast to the Po Valley (Italy) | 121 |
| Announcement | 70 |

No. 3

| | |
|---|-----|
| <i>W. John Kress and Donald E. Stone</i> | |
| Nature of the sporoderm in monocotyledons, with special reference to the pollen grains of <i>Canna</i> and <i>Heliconia</i> | 129 |
| <i>Stephen Blackmore</i> | |
| Palynology of subtribe Scorzonerinae (Compositae: Lactuceae) and its taxonomic significance | 149 |
| <i>Michel Guédès</i> | |
| Exine stratification, ectexine structure and angiosperm evolution | 161 |
| <i>T. H. Keatinge</i> | |
| Influence of stemflow on the representation of pollen of <i>Tilia</i> in soils | 171 |

| | |
|--|-----|
| Masamichi Takahashi Pollen morphology in the genus <i>Heloniopsis</i> (Liliaceae) | 175 |
| Rajiv Kumar Aerospora in a pine forest in India | 179 |
| Siwert Nilsson and Johanna Palmberg-Gotthard Pollen calendar for Huddinge (Sweden), 1977-1981 | 183 |